Revision: 14.02.2025

Safety data sheet

acc. to Reg. (EC) No 1907/2006

Printing date 14.02.2025 Version number 2.2 (replaces version 2.1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Mosquito Stop UFI: XY00-X0KT-N00Q-3QWR

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture

Fuel for lamps

Repellent against insects

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Candol Produktions- und HandelsgesmbH

Kalterer Gasse 8 2340 Mödling Austria

T: +43 2236 22625

Email: sales@candol.com

Further information obtainable from:

Johanna THOMAS

Email: johannna.thomas@candol.com

1.4 Emergency telephone number:

+43 2236 22625

Available during office hours:

Mo - Th 08:00 - 16:00 h

Fr 08:00 - 13:00 h

Call the national emergency number!

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

H319 Causes serious eye irritation. Eye Irrit. 2

Skin Sens. 1 H317 May cause an allergic skin reaction.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

Additional information: For the wording of the hazard categories, see section 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Printing date 14.02.2025 Version number 2.2 (replaces version 2.1) Revision: 14.02.2025

Trade name: Mosquito Stop

(Contd. of page 1)

Hazard pictograms



Signal word Danger

Hazard-determining components of labelling:

Hydrocarbons, C11 – C13, isoalkanes, <2% aromatics

Geraniol

Hazard statements

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container to mjestu sakupljanja opasnog otpada.

Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

Contains biocidal products: Geraniol

2.3 Other hazards

Fumes can combine with air to form an explosive mixture.

Even a small sip of lamp oil - or even just sucking on a lamp wick - can cause life-threatening damage to the lungs. Lamps filled with this liquid must not get into the hands of children.

Results of PBT and vPvB assessment

PBT: The mixture does not contain PBT substances $\geq 0,1$ %. **vPvB:** The mixture does not contain vPvB substances $\geq 0,1$ %.

Determination of endocrine-disrupting properties

The product does not contain substances with endocrine-disrupting properties $\geq 0.1 \% (w/w)$.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture: consisting of the following components.

Dangerous components:

[% (w/w)]

EC number: 920-901-0 Reg.nr.: 01-2119456810-40-X	Hydrocarbons, C11 – C13, isoalkanes, <2% aromatics XXX Alternative CAS number: 246538-78-3	80 - < 100%
	♦ Asp. Tox. 1, H304 EUH066	
		(Contd. on page 3)

— EU -



Printing date 14.02.2025 Version number 2.2 (replaces version 2.1) Revision: 14.02.2025

Trade name: Mosquito Stop

(Contd. of page 2) 1 - < 3%

CAS: 106-24-1 EINECS: 203-377-1

Index number: 603-241-00-5

RTECS: RG 5830000

Reg.nr.: 01-2119552430-49-XXXX

♠ Eye Dam. 1, H318

Geraniol

Skin Irrit. 2, H315; Skin Sens. 1, H317

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

In case of discomfort or doubt, seek medical advice.

If unconscious, use a stable lateral position and do not administer anything through mouth.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Take off contaminated clothing and wash it before reuse.

Seek medical treatment in case of complaints.

After eye contact:

Rinse opened eye for several minutes under running water.

Remove contact lenses, if present and easy to do. Continue rinsing.

Seek medical treatment.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Call a doctor immediately.

May be fatal if swallowed and enters airways.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Depending on the condition of the patients, the doctor must assess the symptoms and the overall general condition.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

Combustible.

In case of fire, the following can be released:

Products of incomplete combustion

(Contd. on page 4)



Printing date 14.02.2025

Version number 2.2 (replaces version 2.1)

Revision: 14.02.2025

Trade name: Mosquito Stop

(Contd. of page 3)

COx

Smoke, soot, harmful vapours

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Restricted access to the affected area until cleaning work is completed.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid contact with skin and eyes.

Do not breathe vapour/spray.

Keep away from ignition sources.

Particular danger of slipping on leaked/spilled product.

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Dike larger quantities, pump into suitable containers.

Smaller quantities:

Absorb with liquid-binding, inert material (sand, diatomite, acid binders, universal binders).

Clean again.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Keep receptacles tightly sealed.

Prevent formation of aerosols.

Avoid contact with skin and eyes.

Avoid breathing mist/vapours/spray.

Use personal protective equipment as required.

Observe protective measures and safety instructions.

(Contd. on page 5)



Printing date 14.02.2025

Version number 2.2 (replaces version 2.1)

Revision: 14.02.2025

Trade name: Mosquito Stop

(Contd. of page 4)

Information about fire - and explosion protection:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Protect against electrostatic charges.

Fumes can combine with air to form an explosive mixture.

Residual vapours can form explosive vapour-air mixtures.

Do not use heat near the container, do not cut, drill, grind or weld.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Store in a dry, cool, well-ventilated area.

Prevent any seepage into the ground.

Store in accordance with local/regional/national/international regulations.

Information about storage in one common storage facility: Store away from oxidising agents.

Further information about storage conditions:

Keep container tightly sealed.

Store only in the original receptacle.

Protect from heat and direct sunlight.

Recommended storage temperature: room temperature

Storage class: 10

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 106-24-1 Geraniol

MAK (Germany) Dampf und Aerosol; vgl.Abschn.IV

Regulatory information MAK (Germany): MAK- und BAT-Liste

DNELs No data available.

PNECs No data available.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls

No further data; see section 7.

Technical measures and the use of suitable working methods take priority over the use of personal protective equipment.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Do not eat or drink while working.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing.

Do not inhale gases / fumes / aerosols.

(Contd. on page 6)



Printing date 14.02.2025 Version numb

Version number 2.2 (replaces version 2.1)

(Contd. of page 5)

Revision: 14.02.2025

Trade name: Mosquito Stop

Ensure good ventilation/exhaustion at the workplace.

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter type A

Hand protection



Protective gloves

EN 374

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

Material of gloves

Nitrile rubber gloves; recommended material thickness: ≥ 0.38 mm, penetration time: ≥ 480 min

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

EN 166

Body protection: Protective work clothing

Environmental exposure controls

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical stateLiquidColour:ColourlessOdour:Characteristic

Odour threshold: No information available.

(Contd. on page 7)

Safety data sheet

acc. to Reg. (EC) No 1907/2006



Printing date 14.02.2025 Version number 2.2 (replaces version 2.1) Revision: 14.02.2025

Trade name: Mosquito Stop

(Contd. of page 6)

Melting point/freezing point:No information available.

Boiling point or initial boiling point and boiling

range $\geq 188 - \leq 210$ °C (Hydrocarbons, C11 - C13,

isoalkanes, <2% aromatics)

Flammability combustible

Lower and upper explosion limit

Lower: 0.6 Vol % (Hydrocarbons, C11 – C13, isoalkanes,

<2% aromatics)

Upper: 6 Vol % (Hydrocarbons, C11 – C13, isoalkanes, <2%

aromatics)

Flash point: 68 °C

Auto-ignition temperature: 222 °C (Hydrocarbons, C11 – C13, isoalkanes, <2%

aromatics)

Decomposition temperature:No information available.

pH Not applicable.

Viscosity:

Kinematic viscosity at 40 °C 1.3 mm²/s

Dynamic: No information available.

Solubility

water: Not miscible or difficult to mix.

Partition coefficient n-octanol/water (log value)

Hydrocarbons, C11 – C13, isoalkanes, <2% aromatics > 4 log Kow

106-24-1 | Geraniol | 2,6 log Kow

Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C: < 1 g/cm³

Vapour density No information available.

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health

and environment, and on safety.

Ignition temperature: $\geq 222 \,^{\circ}\text{C}$

Explosive properties: Product does not present an explosion hazard.

Change in condition

Oxidising properties None.

Evaporation rateNo information available.

Information with regard to physical hazard

classes

Explosives void
Flammable gases void
Aerosols void
Oxidising gases void
Gases under pressure void

(Contd. on page 8)



Printing date 14.02.2025 Version number 2.2 (replaces version 2.1) Revision: 14.02.2025

Trade name: Mosquito Stop

(Contd. of page 7)

Flammable liquids	void
Flammable solids	void
Self-reactive substances and mixtures	void
Pyrophoric liquids	void
Pyrophoric solids	void
Self-heating substances and mixtures	void
Substances and mixtures, which emit flammable	€
nana in a nata at with water	
gases in contact with water	void
Oxidising liquids	void void
Oxidising liquids	void
Oxidising liquids Oxidising solids	void void
Oxidising liquids Oxidising solids Organic peroxides	void void void

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions Hazardous Polymerization will not occur.
- 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- 10.5 Incompatible materials: strong oxidizing agents
- 10.6 Hazardous decomposition products:

No decomposition if used and stored according to specifications.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50	LD/LC50 values relevant for classification:		
Hydrocar	drocarbons, C11 – C13, isoalkanes, <2% aromatics		
Oral	LD50	> 5,000 mg/kg (rat)	
Dermal	LD50	> 5,000 mg/kg (Rabbit)	
Inhalative	LC50/4h	> 4,951 mg/m³ (rat)	
CAS: 106	06-24-1 Geraniol		
Oral	LD50	3,600 mg/kg (rat)	
Dermal	LD50	> 5,000 mg/kg (Rabbit)	

Primary irritant effect:

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Repeated exposure may cause skin dryness or cracking.

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 9)



Printing date 14.02.2025

Version number 2.2 (replaces version 2.1)

Revision: 14.02.2025

Trade name: Mosquito Stop

(Contd. of page 8)

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Hydrocarbons, C11 - C13, isoalkanes, <2% aromatics

LL50 (96 h) > 1,000 mg/l (fish) (Onchorhynchus mykiss) read-across

12.2 Persistence and degradability

106-24-1 | Geraniol | OECD 301A: 90 - 100 % (3 d)

12.3 Bioaccumulative potential

	Hydrocarbons, C11 – C13, isoalkanes, <2% aromatics	> 4 log Kow
106-24-1	Geraniol	2,6 log Kow

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: The mixture does not contain PBT substances $\geq 0,1 \%$.

vPvB: The mixture does not contain vPvB substances ≥ 0.1 %.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Only dispose of product residues via authorised companies according to local legislation.

European waste catalogue

Notes: The European Waste Catalogue (EWC) classifies waste materials and categorises them according to what they are and how they were produced. This may cause other classifications. The final decision belongs to the last user.

(Contd. on page 10)



Printing date 14.02.2025 Version number 2.2 (replaces version 2.1) Revision: 14.02.2025

Trade name: Mosquito Stop

(Contd. of page 9)

13 07 03* other fuels (including mixtures)

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

Uncleaned packaging:

Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN, IMDG, IATA not regulated

14.2 UN proper shipping name

ADR/RID/ADN, IMDG, IATA not regulated

14.3 Transport hazard class(es)

ADR/RID/ADN, ADN, IMDG, IATA

Class not regulated

14.4 Packing group

ADR/RID/ADN, IMDG, IATA not regulated
14.5 Environmental hazards: Not applicable.
14.6 Special precautions for user Not applicable.

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.
UN "Model Regulation": not regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 11)



Printing date 14.02.2025

Version number 2.2 (replaces version 2.1)

(Contd. of page 10)

Revision: 14.02.2025

Trade name: Mosquito Stop

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

Information about limitation of use: Employment restrictions concerning juveniles must be observed.

Other regulations, limitations and prohibitive regulations

The product is subject to the Biocide Regulation (EU) No. 528/2012.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

EUH066 Repeated exposure may cause skin dryness or cracking.

Training hints

Before handling, storage or use for the first time, employees must be informed about the properties of the substance and about measures taken to ensure safety and environmental protection.

Classification according to	assification according to Regulation (EC) No 1272/2008	
Serious eye damage/irritation Skin sensitisation Aspiration hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.	

Department issuing SDS:

UmEnA GmbH http://umena.at

Email: office@umena.at

Date of previous version: 24.03.2024 Version number of previous version: 2.1

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 12)

CAND**O**LA

Printing date 14.02.2025

Version number 2.2 (replaces version 2.1)

Revision: 14.02.2025

Trade name: Mosquito Stop

(Contd. of page 11)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Asp. Tox. 1: Aspiration hazard – Category 1

^{*} Data compared to the previous version altered.